JOHN DEERE

| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
|------------|--|-------------------------------------|--|-------------------------|--|---|---|---|---------------------------------|------------------------------------|--|--|-----------------------------------|--|-------------------------|
| | | | | | | | | | | | 2x 26" Female 1- | 500-0208 - \$450 | | Custom Build | |
| 700-0004-C | | Corn Head Row Head | All | | All Years 7600 / 7800 / 8800 / | 80" 1-1/4" Hex | •Adapter Plate •Convert to TPS | NONE | 1-2 | \$1,795 | 1/4" Hex 14 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 | N/A | Please Call | N/A |
| | JOHN DEERE | | | OLIVER | 8900 / 9700 | 1-1/4 Hex | •Conventio 1P3 | | | | 2x 28" Male 1-1/8" Hex 14 Series | 500-0212 - \$450 | | | |
| | | Corn Head | | | | 80" | | | | | 2x 26" Female 1- 1/4" Hex 14 Series | 500-0208 - \$450 | | Custom Build | |
| 700-0004-C | | Row Head | All | | All Years White Axial 9720 | 1-1/4" Hex | Adapter Plate Convert to TPS | NONE | 1-2 | \$1,795 | 2x 28" Male 1-1/8" | 500-0210 - \$450 500-0212 - \$450 | N/A | Please Call | N/A |
| | JOHN DEERE | | | WHITE FARM EQUIPMENT | | T INF TIOX | | | | | Hex 14 Series | 500-0214 - \$450 | | | |
| | | | | | All Years | 00" | | | | | 2x 26" Female 1- | 500-0208 - \$450 | | Custom Build | |
| 700-0004-C | E) | Corn Head Row Head | All | | Red Feederhouse | 80" 1-1/4" Hex | •Adapter Plate •Convert to TPS | If equipped with Smart- Trac, Refer to kit 700-0011- ST | 1-2 | \$1,795 | 1/4" Hex 14 Series 2x 28" Male 1-1/8" | 500-0210 - \$450 500-0212 - \$450 | N/A | Please Call | N/A |
| | JOHN DEERE | | | MASSEY FERGUSON | Rotary - 8560 / 8570 / 8590 / 8780 | 1-1/4" Hex | | | | | 2x 28" Male 1-1/8" Hex 14 Series | 500-0214 - \$450 | | | |
| | | | | | | | | | | | 2x 26" Female 1- | | | Custom Build | |
| 700-0004-P | Le contra de la co | Cutter Bar Platform | All | | All Years White Axial 9720 | 80" | •Adapter Plate •Convert to TPS | NONE | 1-2 | \$1,995 | 1/4" Hex 14 Series | 500-0200 - \$650 | N/A | Please Call | N/A |
| | JOHN DEERE | Flation | | WHITE FARM EQUIPMENT | | 1-1/4" Hex | | | | | 2x 28" Male 1-1/8" Hex 14 Series | | | | |
| | | | | | All Years | 0.0" | | If equipped with Smart- Trac, Refer to kit 700-0011- | | | 2x 26" Female 1- | | | Custom Build | |
| 700-0004-P | L. | Cutter Bar Platform | All | | Red Feederhouse | 80" 1-1/4" Hex | Adapter Plate Convert to TPS | ST Will not work on SmartTrack. SmartTrack | 1-2 | \$1,995 | 1/4" Hex 14 Series | 500-0200 - \$650 | N/A | Please Call | N/A |
| | JOHN DEERE | T Iddonni | | | Rotary - 8560 / 8570 / 8590 / 8780 | 1-1/4 Hex | | tilting feederhouse would need to be removed | | | 2x 28" Male 1-1/8" Hex 14 Series | | | | |
| | _ | Or an Use of | | | All Years | | | | | | 2x 26" Female 1- 3/8" 6-Spline 14 | 500-0200 - \$650 | | Custom Build | |
| 700-0006 | (Z) | Corn Head Row Head Cutter Bar | All | S NEW HOLLAND | TR - 70 / 75 / 76 / 85 / 86 / 87 / 88 / 89 / 96 / | 72" | •Adapter Plate •Convert to TPS | NONE | 1-2 | \$1,795 | Series | 500-0208 - \$450 500-0210 - \$450 | N/A | Please Call | N/A |
| | JOHN DEERE | Platform | | AGRICULTURE | 97 / 98 / 99 | 6 Spline | | | | | 2x 28" Male 1-1/8" Hex 14 Series | 500-0212 - \$450 500-0214 - \$450 | | | |
| | | | 40. 50A. or 90 | | - to 2017 AFX 7010 / AFX 8010 | 85" | •Cut & Weld Kit | | | | 2x 26" Female 6 Spline 14 Series | 500-0208 - \$450 | Hydraulic Block | | Stripper |
| 700-0007-N | (24) | Corn Head | 40, 50A, or 90 Series 8r 30" and Smaller | CASE # | 7120 / 8120 / 9120 / 7230 / 8230 / 9230 / | 6 Spline | -Delegate TDC | Add Stripper Extensions For 5088 - 5130-6130 Models | 4-6 | \$1,995 | 2x 28" Male 1-1/8" | 500-0210 - \$450 500-0212 - \$450 | 992-LAN2P5065- 2AFC | \$2087.25 HC0IH8D-31Q | Extensions \$100 |
| | JOHN DEERE | | | AGRICULTURE | 7240 / 8240 / 9240 | o opinio | 2 | | | | Hex 14 Series | 500-0214 - \$450 | \$230 | | ÷100 |
| | | | | | 2018 to - AFX 7010 / AFX 8010 | 05" | 0.10.11.11 | | | | 2x 26" Female 21 | 500-0208 - \$450 | Hydraulic Block | | 01 |
| 700-0007-N | Le la | Corn Head | 40, 50A, or 90 Series 8r 30" and Smaller | CASE 📊 | 7120 / 8120 / 9120 / 9130 / 7230 / 8230 / | 85" 24 Octives | •Relocate TPS | Add Stripper Extensions For 5088 - 5130-6130 Models | 4-6 | \$1,995 | Spline 14 Series | 500-0210 - \$450 500-0212 - \$450 | 992-LAN2P5065- 2AFC | \$2087.25 HC0IH8D-31Q | Stripper Extensions |
| | JOHN DEERE | | anu omaner | AGRICULTURE | 9230 / 7240 / 8240 / 9240 / 7250 / 8250 / 9250 | 21 Spline | •2" Wedge Kit | | | | 2x 28" Male 1-1/8" Hex 14 Series | 500-0214 - \$450 | \$230 | | \$100 |

| L | OHN DE | ERE | | Jo | hn De | ere H | lead | ler C | onv | ersio | on Co | mbir | natio | ns | |
|------------|------------------------|-----------------|---|------------------------------|--|---|--|--|---------------------------------|------------------------------------|--|--|--|--|---------------------------------|
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0007-N | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 8r 30" and Smaller | | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 5088 - 5130-6130 Models | 4-6 | \$1,995 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-N | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 8r 30" and Smaller | | 2018 to - 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 5088 - 5130-6130 Models | 4-6 | \$1,995 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-N | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 8r 30" and Smaller | S NEW HOLLAND AGRICULTURE | - to 2013 CR 970 / 980 / 980 / 9.980 / 9.900 / 9.900 / 9.800 / 9.900 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 20-40-60 Models Yokes need to be shaved for clearance on feederhouse shaft | 4-6 | \$1,995 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NHCR-31Q | Stripper Extensions \$100 |
| 700-0007-N | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 8r 30" and Smaller | S NEW HOLLAND AGRICULTURE | - to 2013 CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 74" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 20-40-60 Models Yokes need to be shaved for clearance on feederhouse shaft | 4-6 | \$1,995 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NHCR-31Q | Stripper Extensions \$100 |
| 700-0007-W | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 12r 20" and Larger, Also 8r 36" - 38" | | - to 2017 AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 | 85" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •Add Stripper Extensions For Xx88 - 5130-6130 Models | 6-8 | \$2,795 | 2x 28" Female 6 Spline 35 Series 2x 31" Male 1-1/8" Hex Male 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-W | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 12r 20" and Larger, Also 8r 36" - 38" | | 2018 to - AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 9130 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 / 7250 / 8250 / 9250 | 85" 21 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •Add Stripper Extensions For Xx88 - 5130-6130 Models | 6-8 | \$2,795 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/8" Hex Male 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-W | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 12r 20" and Larger, Also 8r 36" - 38" | | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | Add Stripper Extensions For Xx88 - 5130-6130 Models | 6-8 | \$2,795 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/8" Hex Male 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-W | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 12r 20" and Larger, Also 8r 36" - 38" | | 2018 to - 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 21 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | Add Stripper Extensions For Xx88 - 5130-6130 Models | 6-8 | \$2,795 | 2x 28" Female 6 Spline 35 Series 2x 31" Male 1-1/8" Hex Male 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-W | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 12r 20" and Larger, Also 8r 36" - 38" | Since Holland | - to 2013 CR 970 / 980 / 9080 / 8090 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit For After 2013. Before 2013 is 2' Wedge kit | Add Stripper Extensions For 20-0-60 Models Yokes need to be shared for clearace on feederhouse shaft | 6-8 | \$2,795 | 2x 26" Female 6 Spline 35 Series 2x 28" Male 1-1/8" Hex Male 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NHCR-31Q | Stripper Extensions \$100 |

Thinks a bank or subject to change with the function of the contrast (Interpreted to change with the contrast (Interpr

| JC 🤔 | OHN DE | ERE | | Jo | hn De | ere ł | lead | er C | onv | ersio | on Co | mbir | natio | ns | |
|---------------|------------------------|---|--|-------------------------|---|---|--|--|---------------------------------|------------------------------------|--|--|--|--|---------------------------------|
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0007-W | JOHN DEERE | Corn Head | 40, 50A, or 90 Series 12r 20" and Larger, Also 8r 36" - 38" | | - to 2013 CR 920/940/960/ 9040/9060/9070/ 6090/7090/8080 CX 720/740/760/ 780/8030/8040/ 8050/8060/8070/ 8080/8090/820/840 /860/880 | 74" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit For After 2013. Before 2013 is 2' Wedge kit | Add Stripper Extensions For 20-40-60 Models Yokes need to be shared for clearance on feederhouse shaft | r 6-8 | \$2,795 | 2x 26" Female 6 Spline 35 Series 2x 28" Male 1-1/8" Hex Male 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NHCR-31Q | Stripper Extensions \$100 |
| 700-0007-P-IH | JOHN DEERE | Platform | 200 or 900 Series | | - to 2017 AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 | 85" 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 20-40-60 Models | ^r 4-6 | \$1,995 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | Custom Build Please Call | Stripper Extensions \$100 |
| 700-0007-P-IH | JOHNDEERE | Platform | 200 or 900 Series | | 2018 to - AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 9130 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 / 7250 / 8250 / 9250 | 85" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 20-40-60 Models | ^r 4-6 | \$1,995 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | Custom Build Please Call | Stripper Extensions \$100 |
| 700-0007-P-IH | JOHNDEERE | Platform | 200 or 900 Series | | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 20-40-60 Models | ^r 4-6 | \$1,995 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | Custom Build Please Call | Stripper Extensions \$100 |
| 700-0007-P-IH | JOHN DEERE | Platform | 200 or 900 Series | | 2018 to - 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 20-40-60 Models | ^r 4-6 | \$1,995 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | Custom Build Please Call | Stripper Extensions \$100 |
| 700-0007-P-NH | JOHN DEERE | Platform | 200 or 900 Series | New Holland | - to 2013 CR 970 / 980 / 9080 / 8090 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Add Stripper Extensions For 20-40-60 Models Yokes need to be shaved for clearance on feederhouse shaft | r 4-6 | \$1,995 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | Custom Build Please Call | Stripper Extensions \$100 |
| 700-0007-P-NH | JOHN DEERE | Platform | 200 or 900 Series | New Holland | - to 2013 CR 920/940/960/ 9040/9060/9070/ 6090/7090/8080 CX 720/740/760/ 780/8030/8040/ 8050/8060/8070/ 8080/8090/820/840 /860/880 | 74" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | Add Stripper Extensions For 20-40-60 Models Yokes need to be shaved for clearance on feederhouse shaft | r 4-6 | \$1,995 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | Custom Build Please Call | Stripper Extensions \$100 |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | | - to 2017 AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 | 85" 6 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HC0IH8D-31Q Platform Headers Please Inquire | N/A |

Thinks a low a select to change with the selected to change with a biotecharge internation of the selected and a selected to change with a biotecharge internation of the selected and a selected to change with a selected and a sele

| JC 🔁 | OHN DE | ERE | | Jo | hn De | ere F | lead | er C | onv | ersic | on Co | mbir | natio | ns | |
|------------|------------------------|---|--|------------------------------|--|---|----------------------|--|---------------------------------|------------------------------------|--|--|--|--|-------------------------|
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | | 2018 to - AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 9130 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 / 7250 / 8250 / 9250 | 85" 21 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HC0IH8D-31Q Platform Headers Please Inquire | N/A |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 74" 6 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HC0IH8D-31Q Platform Headers Please Inquire | N/A |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | | 2018 to - 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 74" 21 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HC0IH8D-31Q Platform Headers Please Inquire | N/A |
| 700-0007-1 | JOHNDEERE | Flex Draper | 600 Series 700 Series | | - to 2017 AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 | 85" 6 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 1x 1 meter star Waltersheid shaft with 6 spline yolk | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0IH85-31Q | N/A |
| 700-0007-1 | | Flex Draper | 600 Series 700 Series | | 2018 to - AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 9130 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 / 7250 / 8250 / 9250 | 85" 21 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 1x 1 meter star Waltersheid shaft | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0IH85-31Q | N/A |
| 700-0007-1 | | Flex Draper | 600 Series 700 Series | | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 74" 6 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 1x 1 meter star Waltersheid shaft with 6 spline yolk | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0IH85-31Q | N/A |
| 700-0007-1 | | Flex Draper | 600 Series 700 Series | | 2018 to - 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 74" 21 Spline | Faceplate Adapter | NONE | 2 | \$6,495 | 1x 1 meter star Waltersheid shaft | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0IH85-31Q | N/A |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | S NEW HOLLAND AGRICULTURE | 2013 to 2018 CR 970 / 980 / 9080 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" 6 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HCONH8D-31Q Platform Headers Please Inquire | N/A |

These tables to babage whole to babage whole notice Control Biolitic Structures for Control Biolity Structures for Control Biol Structures for Control Biol Structures for Structures f

| L 💫 | OHN DE | ERE | | Jo | hn De | ere H | lead | ler C | onv | ersic | on Co | mbir | natio | ns | |
|------------|------------------------|---|--|-------------------------------------|---|---|----------------------|--|---------------------------------|------------------------------------|--|--|--|--|-------------------------|
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | 8 NEW HOLLAND AGRICULTURE | 2018 to - CR 970 / 980 / 9080 / 8090 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HC0NH8D-31Q Platform Headers Please Inquire | N/A |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | S NEW HOLLAND | 2013 to 2018 CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 74" 6 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HC0NH8D-31Q Platform Headers Please Inquire | N/A |
| 700-0007-1 | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | 600 Series 700 Series 40 Series 90 Series 200 Series 50A Series | 8 NEW HOLLAND AGRICULTURE | 2018 to - CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 74" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Hydraulic Block 992-LAN2P5065- 2AFC \$230 OR 992-LAN2P5065- 5AFC 385.25 | \$2087.25 HC0NH8D-31Q Platform Headers Please Inquire | N/A |
| 700-0007-1 | John Deere | Flex Draper | 600 Series 700 Series | S NEW HOLLAND AGRICULTURE | 2013 to - 2018 CR 970 / 980 / 9080 / 9.90 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" 6 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0NH85-31Q | N/A |
| 700-0007-1 | JOHN DEERE | Flex Draper | 600 Series 700 Series | AGRICULTURE | 2018 to - CR 970 / 980 / 9080 / 8090 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0NH85-31Q | N/A |
| 700-0007-1 | | Flex Draper | 600 Series 700 Series | NEW HOLLAND | 2013 to 2018 CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 74" 6 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 6 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0NH85-31Q | N/A |
| 700-0007-1 | JOHN DEERE | Flex Draper | 600 Series 700 Series | AGRICULTURE | 2018 to - CR 920/940/960/ 9040/9060/9070/ 6090/7090/8080 CX 720/740/760/ 780/8030/8040/ 8050/8060/8070/ 8080/8090/820/840 /860/880 | 74" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2 | \$6,495 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | N/A | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$3513 HD0NH85-31Q | N/A |

¹Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Adject Team Bib. Enterprises for Current Pices are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Picing: www. babtenbarpsis.com ¹*Pices lated are adject to dange without notice. Contact Bib. Enterprises for Current Pices are adject to dange without notice. Contact Bib. Enterprises for Current Pices are adject to dange without notice. Contact Bib. Enterprises for Current Pices are adject to dange without notice. Contact Bib. Enterprises for Current Pices are adject to dange without not dange without notice. Contact Bib. Enterprises for Current Pices are adject to dange without not dange w

| JC 🤔 | OHN DE | ERE | | Jo | hn De | ere ł | lead | ler C | onv | ersic | on Co | mbir | natio | ns | |
|------------------|------------------------|-----------------|---|-------------------------|--|---|---|--|---------------------------------|------------------------------------|---|------------------------------------|--|--|---------------------------------|
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0007-6C-IH-E | JOHN DEERE | Corn Head | 600 SERIES Serial # -745100 | | - to 2017 AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 | 85" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | -On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2" Down And 24" Wide +5088-6230 Need To Add Stripper Extensions | 6-8 | \$3,695 | 2x 28" Female 6 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | Please Inquire | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-IH-E | JOHN DEERE | Corn Head | 600 SERIES Serial # -745100 | | 2018 to - AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 9130 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 / 7250 / 8250 / 9250 | 85" 21 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2" Down And 24" Wide •5088-6230 Need To Add Stripper Extensions | 6-8 | \$3,695 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | Please Inquire | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-IH-E | JOHN DEERE | Corn Head | 600 SERIES Serial # -745100 | | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 74" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | *On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2" Down And 24" Wide *5088-6230 Need To Add Stripper Extensions | 6-9 | \$3,695 | 2x 28" Female 6 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | Please Inquire | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-IH-E | JOHN DEERE | Corn Head | 600 SERIES Serial # -745100 | | 2018 to - 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 74" 21 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | *On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 12 ²¹ Down And 24 ⁴⁷ Wide *5088-6230 Need To Add Stripper Extensions | 6-9 | \$3,695 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | Please Inquire | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-IH-L | JOHN DEERE | Corn Head | 600 SERIES Serial # 745101 - | | - to 2017 5088 / 6088 F24+F46Stalkmaster (chopping) Require 44 Series Shafts/ 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 | 85" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2" Down And 24" Wide •5088-6230 Need To Add Stripper Extensions | 6-8 | \$3,695 | Not Typically Necessary | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-IH-L | JOHN DEERE | Corn Head | 600 SERIES Serial # 745101 - | | 2018 to- 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 85" 21 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | -On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2" Down And 24" Wide -5088-6230 Need To Add Stripper Extensions | 6-8 | \$3,695 | Not Typically Necessary | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-IH-L | JOHNDEERE | Corn Head | 600 SERIES Serial # 745101 - | CASE M AGRICULTURE | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 | 72" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | +On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 12 ²¹ Down And 24 ⁴⁴ Wide +5088-6230 Need To Add Stripper Extensions | 6-8 | \$3,695 | 2x 28" Female 6 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-IH-L | JOHN DEERE | Corn Head | 600 SERIES Serial # 745101 - | | 2018 to- 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 21 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | +On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2" Down And 24" Wide +5088-6230 Need To Add Stripper Extensions | 6-8 | \$3,695 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |

"The case the provide and in the provide of the case of the provide of the case of the provide of the case of the

JOHN DEERE John Deere Header Conversion Combinations

| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
|------------------|------------------------|-----------------|--|------------------------------|--|---|---|---|---------------------------------|------------------------------------|--|------------------------------------|--|--|---------------------------------|
| 700-0007-6C-NH-E | JOHN DEERE | Corn Head | 600 SERIES Serial # -745100 | AGRICULTURE | - to 2013 CR 970 / 980 / 9080 / 8090 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | •On Heads With Split Augers The Feederhouse Front Channel Has To Be Notchel 1/2* Down And 24* Wide •20-40-60 Models Add Stripper Extensions | 6-8 | \$3,695 | 2x 28" Female 6 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-NH-E | JOHN DEERE | Corn Head | 600 SERIES Serial # -745100 | S NEW HOLLAND AGRICULTURE | - to 2013 CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 74" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | *On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2" Down And 24" Wide *20-40-60 Models Add Stripper Extensions | 6-8 | \$3,695 | 2x 28" Female 6 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |

"Those shades to depend to demage which to chance which to follow control biolochemic follow control biol biolochemic follow control biol biolochemic follow control biol biol control biol bio

| | | | - | | | | | | | | | | | | |
|---------------------|------------------------|--|---|------------------------------|---|---|---|---|---------------------------------|------------------------------------|--|------------------------------------|---|--|---------------------------------|
| oL 🥑 | HN DE | ERE | | Jo | hn De | ere H | lead | er C | onv | ersio | on Co | mbir | natio | ns | |
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0007-6C-NH-L | JOHN DEERE | Corn Head | 600 SERIES Serial # 745101 - | S NEW HOLLAND AGRICULTURE | 2013 - CR 970 / 980 / 9080 / 9.90 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS 4•" Wedge Kit | On Heads With Split Augers The Feederbcuse Front Channel Has To Be Notched 1/27 Down Ad 24" Wide 20-40-60 Models Add Stripper Extensions | 6-8 | \$3,695 | Not Typically Necessary | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6C-NH-L | JOHN DEERE | Corn Head | 600 SERIES Serial # 745101 - | S NEW HOLLAND AGRICULTURE | 2013 - CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 74* (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | +On Heads With Split Augers The Feederhouse Front Channel Has To Be Notched 1/2 ⁻ Down And 24 ⁺ Wide +20-40-60 Models Add Stripper Extensions | 6-8 | \$3,695 | Not Typically Necessary | N/A | Hydraulic Block 992-LAN2P5065- 2AFC \$230 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6P-IH-4-30 | JOHN DEERE | Hyrdaflex Platform Rigid Platform | 600 SERIES 30 Ft or less | | - to 2017 AFX 7010 / AFX 8010 7120 / 8120 / 9120 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 | 85" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •5088-6230 Need To Add Stripper Extensions •Single P.T.O. Drive | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6P-IH-4-30 | JOHN DEERE | Hyrdaflex Platform Rigid Platform | 600 SERIES 30 Ft or less | | - to 2017 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 2018 to - | 72" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •5088-6230 Need To Add Stripper Extensions •Single P.T.O. Drive | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |


| 700-0007-6P-IH-4-35 | JOHN DEERE | Hyrdaflex Platform Rigid Platform | 600 SERIES 35 Ft or more | | 2018 to - AFX 7010 / AFX 8010 7 7120 / 8120 / 9120 / 9130 / 7230 / 8230 / 9230 / 7240 / 8240 / 9240 / 7250 / 8250 / 9250 | 85" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | +5088-6230 Need To Add Stripper Extensions +Single P.T.O. Drive | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
|---------------------|------------|--|-----------------------------|----------------|--|-----------------------------------|---|--|-----|---------|----------------------------|----------------------------|---|--------------------------|---------------------------------|
| 700-0007-6P-IH-4-35 | JOHN DEERE | Hyrdaflex Platform Rigid Platform | 600 SERIES 35 Ft or more | | 2018 to - 5088 / 6088 / 7088 / 5130 / 6130 / 7130 / 5140 / 6140 / 7140 / 5150 / 6150 / 7150 | 72" 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •5088-6230 Need To Add Stripper Extensions •Single P.T.O. Drive | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0IH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6P-NH-2-30 | JOHN DEERE | Hyrdaflex Platform Rigid Platform | 600 SERIES 30 Ft or less | St New Holland | - to 2013 CR 970 / 980 / 9080 / 990 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | -5088-6230 Need To Add Stripper Extensions -Single P.T.O. Drive Yokes need to be shaved for clearance on feederhouse shaft | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6P-NH-2-30 | JOHN DEERE | Hyrdaflex Platform Rigid Platform | 600 SERIES 30 Ft or less | Kew Holland | - to 2013 CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 74" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | •5088-6230 Need To Add Stripper Extensions •Single P.T.O. Drive Yokes need to be shaved for clearance on feederhouse shaft | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6P-NH-2-35 | JOHNDEERE | Hyrdaflex Platform Rigid Platform | 600 SERIES 35 Ft or more | AGRICULTURE | - to 2013 CR 970 / 980 / 9080 / 8090 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | •5088-6230 Need To Add Stripper Extensions •Single P.T.O. Drive Yokes need to be shaved for clearance on feederhouse shaft | | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |

""Bit is formation of the second of the seco

JOHN DEERE John Deere Header Conversion Combinations

| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
|--------------------|------------------------|--|---------------------------------------|-------------------------|--|---|---|--|---------------------------------|------------------------------------|--|------------------------------------|---|--|---------------------------------|
| 700-0007-6P-NH-2-3 | | Hyrdaflex Platform Rigid Platform | 600 SERIES 35 Ft or more | Sinculture | - to 2013 CR 920 / 940 / 960 / 9040 / 9060 / 9070 / 6090 / 7090 / 8080 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 881 | 74" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | •5088-6230 Need To Add Stripper Extensions •Single P.T.O. Drive Yokes need to be shaved for clearance on feederhouse shaft | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |
| 700-0007-6P-NH-4-3 | | Hyrdaflex Platform Rigid Platform | 600 SERIES 30 Ft or less | NEW HOLLAND | 2013 - CR 970 / 880 / 9080 / 8090 / 9090 / 9.80 / 9.90 / 10.90 CX 720 / 740 / 760 / 780 / 8030 / 8040 / 8050 / 8060 / 8070 / 8080 / 8090 / 820 / 840 / 860 / 880 | 85" (Must Specify) 6 Spline | •Cut & Weld Kit •Relocate TPS •4" Wedge Kit | •5088-6230 Need To Add Stripper Extensions •Single P.T.O. Drive Yokes need to be shaved for clearance on feederhouse shaft | 6-8 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Hydraulic Block 992-LAN2P5065- 5AFC \$385.25 | \$2087.25 HC0NH8D-31Q | Stripper Extensions \$100 |

"Prices shown are to prior and to not reflect any promotional, take, or dealer prioring. Constal Biol. Temprines for dealer or take pricing information. "Biblio Elegistries is a privately overed company and in and Historica divert and the memory of the Call-Lake Above, Bernerell, And Deerell & Company, Masseyli, New Hollandb, or Shebourne Reynoldstill, in any way or form. The terms "Agoo", "Case IPF, "CAR", "Chas.Lexion",



es labed are adapted to durage without foldes. Contact Bits Enterprises for Current Pricing, wave biothemperiphencom set Novan are bits price and to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without notice. The price add to not inflict any processor durage without not wave of the price add to not wave of the price add to not inflict any processor durage without not wave of the price add to not wave of the price add to not inflict any processor durage without not wave of the price add to not

John Deere Header Conversion Combinations JOHN DEERE Telescopic Header Headsight® Combine Feederhouse Installation Header Power Shafts Hydraulic Header TYPE OF Model # Combine Conversion Additional **Bearing Support** Height Accessory PART # Year Shaft Length / Time Conversion Components Manufacturer HEAD Year Manufacturer Type Information Contact Bish Enterprises Kit (No T.P.S.) Conversion Components Model #'s Shaft Type (Hours) Needed Components For Pricing (Series Serial # (Sensor) Options Varv) 1x 28" Female 21 Spline PB Shaved 35 Series On Left All Years Side Wide Body •Cut & Weld Kit Will Need the Dimensions Corn Head LEXION 40, 50A, or 90 590 / 595 / 760 / 760tt / of the Top Bar 1x 28" Female 21 500-0210 - \$450 •Relocate TPS Yokes need to be shaved 700-0008-N Row Head 7-10 \$2,995 Please Inquire Please Inquire N/A 780 / 780tt / 8600 / 500-0212 - \$450 Series 80" for clearance on feederhouse shaft Spline AL 35 •2" Wedge Kit CAT 8600tt / 8700 / 8700tt / 21 Spline Series On Right 500-0214 - \$450 JOHN DEERE 8800 / 8800tt Side 2x 31" Male 1-1/8" Hex 35 Series 1x 28" Female 21 Spline PB Shaved 35 Series On Left All Years 40, 50A, or 90 Side Series Narrow Body •Cut & Weld Kit Will Need the Dimensions 560 / 570 / 575 / 580 / Corn Head 1x 28" Female 21 500-0210 - \$450 700-0008-W 585 / 730 / 730P / 740 •Relocate TPS Yokes need to be shaved Row Head LEXION 7-10 \$2,995 Please Inquire Please Inquire N/A 70" Spline AL 35 500-0212 - \$450 for clearance on feederhouse shaft Top Cap on / 740tt / 750 / 750tt / •2" Wedge Kit CAT Series On Right 500-0214 - \$450 JOHN DEERE Center Frame 21 Spline 7400 / 7400tt / 7500 / Side 7500tt 2x 31" Male 1-1/8" Hex 35 Series 1x 28" Female 21 Spline PB Shaved 35 Series On Left 40, 50A, or 90 All Years Side Series Wide Body Will Need the Dimension of the Top Bar Cut & Weld Kit Corn Head 590 / 595 / 760 / 760tt / 1x 28" Female 21 500-0210 - \$450 700-0008-W Relocate TPS 7-10 \$2,995 Please Inquire Please Inquire N/A Row Head Yokes need to be shaved 780 / 780tt / 8600 / 80" Spline AL 35 500-0212 - \$450 Top Cap on for clearance on CAT •2" Wedge Kit feederhouse shaft Series On Right 500-0214 - \$450 8600tt / 8700 / 8700tt / 21 Spline Center Frame JOHN DEERE 8800 / 8800tt Side 2x 31" Male 1-1/8" Hex 35 Series

Phone table are rule to a constraint to depart and constraint to Constra Black are rule to to provide a constraint to constraint to the provide and are rule to the provide are rule to the provide and are rule to the provide are rule to the provide and are rule to the provide are rule to th

| Je 🛃 | OHN DE | ERE | | Jo | hn De | ere l | lead | er C | onv | ersic | on Co | mbir | natio | ns | |
|-------------|------------------------|------------------------|--|-------------------------|---|---|---|--|---------------------------------|------------------------------------|---|--|-----------------------------------|--|-------------------------|
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0008-W | JOHN DEERE | Corn Head Row Head | 40, 50A, or 90 Series | CLARS CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Will Need the Dimensions of the Top Bar Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$2,995 | 1x 28" Female 21 Spline PB Shaved 35 Series On Left Side 1x 28" Female 21 Spline AL 35 Series On Right Side 2x 31" Male 1-1/8" Hex 35 Series | 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Please Inquire | Please Inquire | N/A |
| 700-0008-W | JOHN DEERE | Corn Head Row Head | 40, 50A, or 90 Series | CAT | All Years 590 / 595 / 760 / 760t / 780 / 780t / 8600 / 8600tt / 8700 / 8700 t 8800 / 8800tt | Wide Body 80* 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Will Need the Dimensions of the Top Bar Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$2,995 | 1x 28" Female 21 Spline PB Shaved 35 Series On Left Side 1x 28" Female 21 Spline AL 35 Series On Right Side 2x 31" Male 1-1/8" Hex 35 Series | 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Please Inquire | Please Inquire | N/A |
| 700-0008-1N | | Corn Head Row Head | 40, 50A, or 90 Series | LEAD CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Please Inquire | Please Inquire | N/A |
| 700-0008-1N | JOHN DEERE | Cutter Bar Platform | 200-900 Series | CLEREN CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Please Inquire | Please Inquire | N/A |
| 700-0008-1N | JOHN DEERE | Corn Head | 600 Series (Serial Number Break - 745100) | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tl / 750 / 750tl / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 35 Series 2x 28" Male 1-1/4" Hex 35 Series | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1N | JOHN DEERE | Corn Head | 600 Series (Serial Number Break 745101-) | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tl / 750 / 750tl / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1N | JOHN DEERE | Cutter Bar Platform | 600 Series (30' or shorter) | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750t / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1N | JOHN DEERE | Cutter Bar Platform | 600 Series (35' or longer) | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |

Those labels of a problem to alway without relation Contact Bible Expensions for Contact Bible Expensi

| or 🛐 | OHN DE | ERE | | Jo | hn De | ere H | lead | ler C | onv | ersio | on Co | mbir | natio | ns | |
|-------------|------------------------|------------------------|---|-------------------------|---|---|---|--|---------------------------------|------------------------------------|--|--|-----------------------------------|--|-------------------------|
| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0008-1N | JOHN DEERE | Flex Draper | 600 - 700 Series | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 1x 30" Star Shaped Male Waltersheid Shaft 30" Plastic Shielding | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1W | John Deere | Corn Head Row Head | 40, 50A, or 90 Series | CAT | All Years 590 / 595 / 760 / 760t / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 35 Series 2x 28" Male 1-1/8" Hex 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Please Inquire | Please Inquire | N/A |
| 700-0008-1W | JOHN DEERE | Cutter Bar Platform | 200-900 Series | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Please Inquire | Please Inquire | N/A |
| 700-0008-1W | JOHN DEERE | Corn Head | 600 Series (Serial Number Break - 745100) | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 35 Series 2x 28" Male 1-1/4" Hex 35 Series | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1W | JOHN DEERE | Corn Head | 600 Series (Serial Number Break 745101 -) | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1W | JOHN DEERE | Cutter Bar Platform | 600 Series (30' or shorter) | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex 14 Series | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1W | JOHN DEERE | Cutter Bar Platform | 600 Series (35' or longer) | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-1W | JOHN DEERE | Flex Draper | 600 - 700 Series | CAT | All Years 590 / 595 / 760 / 760 t / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | Faceplate Adapter | Yokes need to be shaved for clearance on feederhouse shaft | 2-4 | Please Inquire | 1x 30" Star Shaped Male Waltersheid Shaft 30" Plastic Shielding | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-9P | JOHN DEERE | Cutter Bar Platform | 200 / 900 Series | Cent | All Years 590 / 595 / 760 / 760t / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Will Need the Dimensions of the Top Bar | 7-10 | \$2,995 | 1x 28" Female 21 Spline PB Shaved 35 Series On Left Side 1x 28" Female 21 Spline AL 35 Series On Right Side 2x Male 1-1/8" | 500-0200 - \$650 | Please Inquire | Please Inquire | N/A |

JOHN DEERE

Interprises is a privately owned company and is not affiliated with or endorsed by Agoo, Case IH®, CAT®, Class/Lexion®, Gleaner®, John Deere® or Deere & Company, Mas

| PART# | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
|----------------|------------------------|---------------------------|--|-------------------------|---|---|---|--|---------------------------------|------------------------------------|---|------------------------------------|-----------------------------------|--|-------------------------|
| 700-0008-9P | JOHN DEERE | Cutter Bar Platform | 200 / 900 Series | Cat | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Will Need the Dimensions of the Top Bar Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$2,995 | 1x 28" Female 21 Spline PB Shaved 35 Series On Left Side 1x 28" Female 21 Spline AL 35 Series On Right Side 2x Male 1-1/8" Hex 35 Series | 500-0200 - \$650 | Please Inquire | Please Inquire | N/A |
| 700-0008-6-E | JOHN DEERE | Corn Head | 600 Series Serial # -745100 | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750t / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-6-E | JOHN DEERE | Corn Head | 600 Series Serial # -745100 | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/4" Hex Male 35 Series or 48" Male 1-1/4" Hex Male 35 Series | Please Inquire 500-0221 \$450 | Please Inquire | Please Inquire | N/A |
| 700-0008-6-L | JOHN DEERE | Corn Head | 600 Series Serial # 745101- | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-6-L | JOHN DEERE | Corn Head | 600 Series Serial # 745101- | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-6P-30 | JOHN DEERE | Platform 30 Ft or less | 600 Series | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | 1x 28" Female 21 Spline 35 Series 1x 31" Male 1-1/8" Hex Male 35 Series | Not Typically Necessary | Please Inquire | Please Inquire | N/A |

"Thinks a load or a subject to change with the change of the change of

| JC 🤔 | OHN DE | ERE | | Jo | hn De | ere H | lead | er C | onv | ersio | on Co | mbir | natio | ns | |
|----------------|------------------------|---|---------------------------------------|-------------------------|---|---|--|---|---------------------------------|------------------------------------|--|--------------------------------------|-----------------------------------|--|--|
| PART# | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
| 700-0008-6P-30 | JOHN DEERE | Platform 30 Ft or less | 600 Series | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | 1x 28" Female 21 Spline 35 Series 1x 31" Male 1-1/8" Hex Male 35 Series | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-6P-35 | JOHN DEERE | Platform 35 Ft or more | 600 Series | CAT | All Years 590 / 595 / 760 / 760tt / 780 / 780tt / 8600 / 8600tt / 8700 / 8700tt / 8800 / 8800tt | Wide Body 80" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0008-6P-35 | JOHN DEERE | Platform 35 Ft or more | 600 Series | CAT | All Years 560 / 570 / 575 / 580 / 585 / 730 / 730P / 740 / 740tt / 750 / 750tt / 7400 / 7400tt / 7500 / 7500tt | Narrow Body 70" 21 Spline | •Cut & Weld Kit •Relocate TPS •2" Wedge Kit | Yokes need to be shaved for clearance on feederhouse shaft | 7-10 | \$3,995 | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | N/A |
| 700-0009 | JOHN DEERE | Corn Head Row Head | All | CASE M AGRICULTURE | All Years 1420 / 1440 / 1460 / 1470 / 1480 / 1482 1620 / 1640 / 1644 / 1660 / 1666 / 1670 / 1680 / 1688 / 2144 / 2166 / 2188 / 2344 / 2366 / 2388 / 2577 / 2588 | 70" 1-1/8" Hex | •Adapter Plate •Convert to TPS | Cut Backshafts, Install Bearing Kit For TPS (Slip Clutch Add-On - Cutter bars + \$85 Per Side) | 3 | \$1,295 | 2x 26" Female 1- 1/8" Hex 14 Series 2x 30.38" Male 1- 1/8" Hex 14 Series | 500-0210 - \$450 500-0212 - \$450 | Please Inquire | Please Inquire | N/A |
| 700-0009-P | JOHN DEERE | 200 & 900 Series Cutter Bar Platform | All | | All Years 1420 / 1440 / 1460 / 1470 / 1480 / 1482 1620 / 1640 / 1642 / 1660 / 1666 / 1670 / 1680 / 1668 / 2144 / 2166 / 2188 / 2344 / 2366 / 2388 / 2577 / 2588 | 70" 1-1/8" Hex | •Adapter Plate •Convert to TPS •Install Slip Clutch | Cut Backshafts, Install Bearing Kit For TPS (Slip Clutch Add-On - Cutterbars + \$85 Per Side) | 3 | \$1,295 | 2x 26" Female 1- 1/8" Hex 14 Series 2x 28" Male 1-1/8" Hex 14 Series | 500-0200 - \$650 | Not Typically Necessary | Please Inquire | N/A |
| 700-0009-P | JOHN DEERE | 600 Series Cutter Bar Platform 20 - 30 ft | All | | All Years 1420 / 1440 / 1460 / 1470 / 1480 / 1482 1620 / 1640 / 1644 / 1660 / 1666 / 1670 / 1668 / 1668 / 2144 / 2166 / 2188 / 2344 / 2366 / 2388 / 2577 / 2588 | 70" 1-1/8" Hex | •Adapter Plate •Convert to TPS •Install Slip Clutch | Cut Backshafts, Install Bearing Kit For TPS (Slip Clutch Add-On - Cutterbars + \$85 Per Side) | 3 | \$1,295 | 1x 26" Female 1- 1/8" Hex 14 Series 1x 28" Male 1-1/8" Hex 14 Series | Not Typically Necessary | Not Typically Necessary | Please Inquire | N/A |
| 700-0009-P-35 | JOHN DEERE | 200 Series Cutter Bar Platform 35 Ft or more | All | | All Years 1420 / 1440 / 1460 / 1470 / 1480 / 1482 1620 / 1640 / 1642 / 1660 / 1666 / 1670 / 1680 / 1668 / 2144 / 2166 / 2188 / 2144 / 2366 / 2388 / 2577 / 2588 | 70" 1-1/8" Hex | •Adapter Plate •Convert to TPS •Install Slip Clutch | Cut Backshafts, Install Bearing Kit For TPS (Slip Clutch Add-On - Cutterbars + \$85 Per Side) | 3 | \$1,295 | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | Stub Shaft Adapter 1-1/8 Hex Female to 21 Spline Male |
| 700-0009-6D | JOHN DEERE | Rigid Draper | 600 Series | | All Years 1420 / 1440 / 1460 / 1470 / 1480 / 1482 1620 / 1640 / 1642 / 1660 / 1666 / 1670 / 1680 / 1688 / 2144 / 2166 / 2188 / 2344 / 2366 / 2388 / 2577 / 2588 | 70" 1-1/8" Hex | •Adapter Plate •Shaft Change | Cut Backshelts, Install Bearing Kit For TPS (Slip Clutch Add-On - Cutterbars + \$85 Per Side) | 3 | \$1,595 | Not Typically Necessary | Not Typically Necessary | Please Inquire | Please Inquire | Stub Shaft Adapter 1-1/8 Hex Female to 21 Spline Male |

JOHN DEERE

Prices shown are list price and do not reflect any promotional, blue, or dealer pricing. Contact Bish Enterprises for dealer or bulk pricing information.

trait any part or accessory soid by sitis Enterprises or advertised on this website is manufactured, sold, or endorsed by Agco, Case 1H8; CAT®, Claas/Lexion8; Gleaner8; John Deere8 or Deere & Company, Massey6). New Holland®, or Shebourne

| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
|------------|------------------------|---|---------------------------------------|-------------------------|---|---|------------------------------------|--|---------------------------------|------------------------------------|---|--|-----------------------------------|--|-------------------------|
| 700-0011-C | JOHN DEERE | Com Head Row Head Cutter Bar Platform | All | GLEANER | R Series - 40 / 42 / 52 / 62 / 72 / 75 / R5 / R6 / R7 Level Land Only | 70" 21 Spline | •Adapter Plate •Convert to TPS | Centers Head with Wheels Must Be Level Land Feederhouse. If equipped with Smart- Trac, Refer to kit 700-6011- ST | 3 | \$1,995 | 1x 28" Female 21 Spline 14 / 35 Series on Left 1x 40" Male 1-1/8" Hex 14 / 35 Series on Left 1x 26" Female 21 Spline 14 / 35 Series on Right 1x 28" Male 1-1/8" Hex 14 / 35 Series on Right | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0011-O | JOHN DEERE | Com Head Row Head Cutter Bar Platform | All | GLEANER | R Series - 40 / 42 / 52 / 62 / 72 / 75 / R5 / R6 / R7 Level Land Only | 70" 21 Spline | •Adapter Plate •Convert to TPS | Centers Head with Feederhouse If equipped with Smart- Trac, Refer to kit 700-0011- ST | 1-2 | \$1,995 | 1x 28" Female 21 Spline 14 / 35 Series on Left 1x 1x 40" Male 1-1/8" Hex 14 / 35 Series on Left 1x 26" Female 21 Spline 14 / 35 Series on Right 28" Male 1-1/8" Hex 14 / 35 Series on Right | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0120 | | Corn Head Row Head Cutter Bar Platform | All | GLEANER | Black Feederhouse A65 / A66 / A75 / A76 •/ A85 / A86 / C62 Level Land Only | 90" 21 Spline | | For Level Land Only. If equipped with Smart-Trac, Head needs to be modified. | 1-2 | \$1,795 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1- 1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0120 | | Corn Head Row Head Cutter Bar Platform | All | | Black Feederhouse 9520 / 9530 / 9540 / 9545 / 9550 / 9560 / 9565 - Conventional 9690 / 9695 / 9720 / 9790 / 9795 / 9895 Level Land Only | 90" 21 Spline | •Adapter Plate •Convert to TPS | For Level Land Only. If equipped with Smart-Trac, Head needs to be modified. | 1-2 | \$1,795 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1- 1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0120 | | Corn Head Row Head Cutter Bar Platform | All | Challenger_ | 520C / 540C / 550C / 560C / 540E / 660 / 660B / 670 / 670B / 680B Level Land Only | 90" | •Adapter Plate •Convert to TPS | For Level Land Only, If equipped with Smart-Trac, Head needs to be modified. | 1-2 | \$1,795 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1- 1/8" Hex 14 Series | 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0011ST | | Corn Head Row Head Cutter Bar Platform | All | | Red Feederhouse Rotary - 8780 / 8780XP Level Land Only | 90" 1-1/4" Hex | •Relocate Top Toolbar •Wedge | If equipped with Smart- Trac, Head needs to be modified. | 30 | \$6,995 Including Labor | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1- 1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |

JOHN DEERE

ises is a privately owned company and is not affiliated with or endorsed by Agco, Case IH0, CAT0, Claas/Lexion0, Gleaner0, John Deere0 or Dee accessory sold by Bish Enterorises or advertised on this website is manufactured, sold, or endorsed by Agco, Case IH0, CAT0, Claas/Lexion0, Gl

| PART # | Header Manufacturer | TYPE OF HEAD | Header Model # Year Serial # | Combine Manufacturer | Combine Year Model #'s | Feederhouse Shaft Length / Shaft Type | Conversion Type | Additional Information | Installation Time (Hours) | Header Conversion Components | Telescopic Power Shafts Contact Bish Enterprises For Pricing (Series Options Vary) | Bearing Support Kit (No T.P.S.) | Hydraulic Components Needed | Headsight® Height Conversion (Sensor) | Accessory Components |
|------------|------------------------|---|---------------------------------------|-------------------------|--|---|------------------------------------|--|---------------------------------|------------------------------------|--|--|-----------------------------------|--|-------------------------|
| 700-0011ST | | Corn Head Row Head Cutter Bar Platform | All | GLEANER [.] | A Series - A65 / A66 / A75 / A76 / A85 / A86 / C62 Level Land Only | 90" 21 Spline | •Relocate Top Toolbar •Wedge | If equipped with Smart- Trac, Head needs to be modified. | 30 | \$6,995 Including Labor | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1- 1/8" Hex 14 Series | 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0011ST | | Corn Head Row Head Cutter Bar Platform | All | GLEANER [.] | S Series - S67 / S68 / S77 / S78 / S87 / S88 / S96 / S97 / S98 Level Land Only | 90" 21 Spline | •Relocate Top Toolbar •Wedge | If equipped with Smart- Trac, Head needs to be modified. | 30 | \$6,995 Including Labor | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1- 1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0011ST | JOHN DEERE | Corn Head Row Head Cutter Bar Platform | All | Challongue | A Series - A65 / A66 / A75 / A76 / A85 / A86 / C62 Level Land Only | 90" 21 Spline | •Relocate Top Toolbar •Wedge | If equipped with Smart- Trac, Head needs to be modified. | 31 | \$6,995 Including Labor | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1- 1/8" Hex 14 Series | 500-0200 - \$650 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0014 | JOHN DEERE | Corn Head Row Head | All | GLEANER [.] | L M L2 M2 L3 M3 | 72" 21 Spline | •Adapter Plate •Convert to TPS | If equipped with Smart- Trac, Head needs to be modified. | 3 | \$1,995 | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0014-P | JOHN DEERE | Cutter Bar Platform | All | GLEANER | • L M L2 M2 L3 M3 | 72" 21 Spline | •Adapter Plate •Convert to TPS | If equipped with Smart- Trac, Head needs to be modified. | 2-5 | | 2x 26" Female 21 Spline 14 Series 2x 28" Male 1-1/8" Hex | 500-0200 - \$650 | Not Typically Necessary | Please Inquire | N/A |
| 700-0016 | | Corn Head Row Head | All | GLEANER | GLEANER K / E (Level-land Only) | | •Adapter Plate | May Need Right Hand Drive Sprocket | 1-2 | \$1,795 | Not Typically Necessary | Not Typically Necessary | Not Typically Necessary | Please Inquire | N/A |
| 700-0017 | JOHN DEERE | Corn Head Row Head | All | GLEANER | GLEANER F F2 F3 (Level-land Only) | | •Adapter Plate •Chain Drive | Late F2 May Need Upper Feederhouse Brackets And Latch Bar (Get From Gleaner Dealer) | 1-2 | \$1,995 | Not Typically Necessary | Not Typically Necessary | Not Typically Necessary | Please Inquire | N/A |
| 700-0024 | JOHN DEERE | Corn Head Row Head | All | odxo | BYRON | 80" 21 Spline | •Adapter Plate •Convert to TPS | None | 1-2 | \$2,295 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/8" or 1-1/4" Hex 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |
| 700-0025 | | Corn Head Row Head | All | oxbo | PIXAL | 80" 21 Spline | •Adapter Plate •Convert to TPS | None | 1-2 | \$2,295 | 2x 28" Female 21 Spline 35 Series 2x 31" Male 1-1/8" or 1-1/4" Hex 35 Series | 500-0208 - \$450 500-0210 - \$450 500-0212 - \$450 500-0214 - \$450 | Not Typically Necessary | Please Inquire | N/A |