BISH ENTERPRISES

www.bishenterprise.com
email@bishcom.com
(402) 849-2674

PRODUCT **CATALOG**



50A Series Row Crop Parts

We Offer the Largest Inventory of 50A Series Row Crop Parts for John Deere®

AVAILABLE SPROCKETS INCLUDE:

11-Tooth Drive Sprocket

- 208-AH101339

11 & 12-Tooth Drive Sprocket

- 208-AH101340

11-Tooth Idler Sprocket


- 208-AH103303

12-Tooth Sprocket (Shielded and Unshielded)





Auger Cover
208-P136046



Rotating Knife Section
208-AH147109



Drive Chain
208-P60-1R74L



Gathering Belt Assemblies
208-AH101172



Stationary Knife Section
208-H139066



Rotating Knife Shaft
203-0001



Gathering Chain Drive Shaft
208-H149665/208-H149666



Poly Skid Shoes
208-1049



30" Center & Outer Snouts
208-AH89838/AH89839



30" Center Dividers
208-AH98159/AH98158



Gathering Chain Tighteners for A Series
509-68514435614



LoveJoy Knife Drive Tensioners
509-68514435614

Telescoping Power Shafts

We Stock Over 75 Combinations of 14, 35, & 44 Series Power Shafts and Replacement

Weasler®

WE OFFER TELESCOPING SHAFTS IN A WIDE RANGE OF LENGTHS FROM 18" TO 72".

This extensive selection gives you far greater flexibility than the limited three-option ranges available elsewhere.



31" 1-1/8" Hex to 1-3/8" 21 Spline PTO Shaft

We Carry SAE Replacement Yokes and U-Joints in:

- 1-1/8" Hex
- 1-1/4" Hex
- 1-1/2" Hex
- 21 Spline
- 6 Spline
- And more!

Wide Selection of Shafts: 18"–72"

We Carry Metric Replacement Yokes and U-Joints in:

- AW35
- AW36
- AW21
- And AB5

Custom Shaft Lengths Available!



35 Series Cross Bearing Replacement



2400 Series, 1-3/8", 21 Spline, 1000



2400 Series Cross Bearing Replacement



2400 Series, 1-1/4", Hex Yoke w/



2300 Series Cross Bearing Replacement



2400 Series, 1-3/8", 6 Spline, 540 RPM Quick Coupler Yoke

SHAFTING ACCESSORIES





507-21SPM-R
Sprocket to 1-3/8" 21 Spline Adapter





507-6SPM-R
Sprocket to 1-3/8" 6 Spline Adapter



507-1204
1-1/8" Hex Couplers



507-118F-6SPM
1-1/8" Female Hex to 1-3/8" 6 Spline Male Adapter



507-118F-21SPM
1-1/8" Female Hex to 1-3/8" 21 Spline Male Adapter



507-114-118-HEX
1-1/4" Round Female to 1-1/8" Hex Male Adapter



507-112-118-HEX
1-1/2" Round Female to 1-1/8" Hex Male Adapter

Hydraulic Components



992-LAN2P5065-5AFC
Single Pt. Coupler Block for Case IH® and New Holland® Platforms



992-LAN2P5065-2AFC
Single Pt. Coupler Block for Case IH® and New Holland® Corn Headers



992-LAN3P5065-5GMC
Single Pt. Couple for Combine Side of CNH® Headers



992-LAN166991
Complete Single Point Block (All Functions)



992-LAN166993
Single Point Block with Reel Fore and Reel Aft Functions



992-LAN3P5065-5GMC
Single Point Coupler Block with No Couplers



992-LAN3PLK-0-5BFC
Combine Half of Single Point Hydraulic Block

More Options Available!



992-LAN84207
Single Point Hydraulic Kit for John Deere® 50 Series STS Combines

A VARIETY OF HYDRAULIC COMPONENTS ARE AVAILABLE TO MEET YOUR NEEDS.

Bish Accessories





702-7012 & 702-7016
John Deere® Feederhouse Hooks



660-5003
BISH BBQ Grill Ear Saver



701-1256LN/1256RH
John Deere 1", 2", & 4" Angle Spacers

SCHUMACHER



Features:

- Easy, Bolt-On Assembly
- Exceptional Strength
- Excellent Cutting Quality
- No Servicing, No Adjusting

EASY CUT II by SCHUMACHER.

Kits Include:

- Guards + 1 Spare Guard
- Knife Including Knife Connection Kits
- Knife Heads and Accessories
- Knife Guidance
- Bobbins to Accommodate the Lifters
- Bolts and Nuts
- Spare Replacement Sections
- Assembly Instructions and Parts List
- MultiTool

Down Corn Reels

Corn Reel Kits Include*:

- Center Tube
- 2 Fingers Per Row
- Mounting Arms
- Drive Sprocket
- Motor Mount
- Hydraulic Motor**
- Drive Chain
- Mounting Brackets
- Outer End Boxes

*Hoses not included

**Hydraulic blocks available



John Deere Head with a BISH Corn Reel, Hydraulically Adjustable Option Available



Case IH Head with a BISH Corn Reel



CAT Head with a BISH Corn Reel


ROLL-A-CONE

- Very Effective for Downed Corn
- Works in Virtually All Conditions
- Does Not Interfere with Standing Crops
- Field Tested and Simple to Operate
- Attaches to Most Headers
- Beater Attachment Available
- Lightweight, but Strong





Hybrid Bish-Built Frame Kits




3-18 Row / 20-40" Spacing Available

Included in a Hybrid Frame Kit:


- Frame
- Backs
- Floors
- Strippers
- Auger
- Back Drive Shaft
- Telescoping Power Shafts
- Available in John Deere® Green, Case IH® Red, or any other color

Drive Package Kits

- Highest Quality Drive Package Kits on the Market
- Safest Drive Package Kits Available
- Simple Install with Easy to Read Instructions
- We Keep Most Parts in Stock



Case IH® Field Tracker® Kits



John Deere® Drive Package Kits

Header Adapters

CASE IH® ➡ JOHN DEERE®

- Faceplate
- Cut & Weld
- Adapter Kits













JOHN DEERE® ➡ CASE IH® & NEW HOLLAND®











The Largest Combine Header Adapter Selection in the world!

Run your New Holland® or Case IH® Corn Head on a John Deere® Combine

Electrical and Hydraulic Solutions Available!

CLAAS/LEXION® ➡ JOHN DEERE®

Compatible with:
- Corn Heads
- Platforms
- Flex Drapers

**Not compatible with rigid drapers*





Electrical and hydraulics by Headsight®

Available in **Green** or **Yellow.**

NO cutting or welding required!

FENDT IDEAL® ➡ JOHN DEERE®

Works with Majority Models of John Deere:
- Corn
- Flex Draper
- Platform
- Row Crop
- And Rigid C-Series Corn Heads





Compatible with Fendt Ideal 7, 8, 9 combine models

Available in **Green** or **Yellow.**

Installs in 90 minutes or less, NO cutting or welding required.

Additional Combinations



AGCO —> John Deere



Case IH —> Case IH



John Deere X9 —> John Deere 600 Series



Case Legacy —> John Deere



Case IH —> AGCO

Adapter Configurator

Custom Bish-Built Headers

We Build:

- Row Crop
- Corn
- Draper
- Research
- Lifted Headers

... and More!!

2-18+ Row/20 -40" Spacing Available!



25' Draper Head for Rice Harvest



12 Row 40" Header



Double Pickup Header

Compatible With All Major Brands:

- John Deere®,
- Case IH®,
- New Holland®,
- Claas®,
- Fendt®,
- Gleaner®,
- Oxbo®,
- Wintersteiger®,
- Zurn®,
- Almaco®,
- and more.

Key Advantages:

- Unlimited configuration flexibility — built to your exact crop and field requirements
- Fast turnaround vs OEM timelines (90 –365 days)
- CAD, CNC & field-tested precision fabrication
- High structural strength for long service life
- 1-year comprehensive warranty
- Ability to support multi-crop operations (corn, hemp, sunflowers, beans, wild rice, turf, etc.)



World's Largest Folding Corn Head 27 Row 20"

Bish-Built Research Headers

Research a variety of row–crops including:

- Soybeans
- Sorghum
- Dryland Corn
- Popcorn
- Millet
- Hemp
- And more!



6 Row 20” Split Header



Bish-Built 453A

CUSTOM BUILDS AVAILABLE!

Key Advantages:

- Reduced cross-contamination via center dividers and airflow control
- Precision material flow with inner auger shields
- Low-loss performance for small seeds and specialty crops
- Volume flexibility—from single prototypes to 10+ matched units
- 1-year warranty on all components
- Multi-crop capability (corn, beans, hemp, millet, sorghum, turfgrass, wild rice & more)



Bish 692-A for New Holland



Bish 453-A for Oxbo

Bish SuperCrop®
Row-Crop Header



Features Include:

- Low-Cost Maintenance
- 12-24 Month Warranty
- Adaptability & Versatility
- Efficiency
- Easy-to-Find Parts
- Harvest Down Crop
- Ability to Leave 14"+ of Stubble



Upgraded Features Include:

- Hydraulically-Controlled Row Unit Chains
- Full-Fingered Auger
- Feederhouse Cover
- Control and Height Control Software



Harvest:

- Sorghum
- Sunflowers
- Millet
- Dryland Corn
- Hemp
- And More!

Available in 6-16+ Rows 20-40" Row Spacing

Bish SuperCrop® Row-Crop Header







FIRST-OF-IT'S-KIND ROW-CROP HEADER!

SUPERCROP COMPILATION

1. Poly Snoots
2. Row Dividers
3. Rigid, Fingered Auger
4. Schumacher® Sickle
5. 20" – 40" Row Spacing Available






Implement Movers

LIFT AND MOVE IMPLEMENTS QUICKLY, EASILY & SAFELY*

*OSHA COMPLIANT

*OSHA Compliant only when latched and used according to safety guidelines




BUILT FOR HEAVY LOADS: 12,000–18,000 lb Lifting Capacity

EASILY MOVE ANY 3-POINT IMPLEMENT

3 - Point Attachment

Adjustable From Category 1 to Category 4

Multiple Mounting Options Available, Including Custom Mounts



Gleaner®/Massey®
Outer Frame Shown

John Deere® “X” Series
Outer Frame Shown

John Deere®/Case IH®/CLAAS®
Outer Frame Shown

Fendt Ideal®
Outer Frame Shown

Kemper Header
Outer Frame Shown

Neutral Inner Frame
(equipped with JCB
Quick-Fit Coupler)

Implement Movers



John Deere® 644E using the Bish Universal Implement Mover to move a John Deere® draper head equipped for an X9 combine



John Deere® 644E using the Bish Universal Implement Mover to move a John Deere® “C12F corn head that is equipped for an X9 combine

Combine Mount Assemblies.



Case IH® Flagship combine equipped with the Bish Universal Implement Mover to move non-Case IH® branded headers



Case IH® Flagship combine equipped with the Bish Universal Implement Mover

Hemp

FIBERCUT

Cut hemp stalks into sections for:

- Retting & Baling
- Bale unwinding
- Decortication

Available in:

- 1, 2, 3, or 4 arms
- 8', 10', 12', and 14' cutting widths.



FIBERCUT HARVEST

COMBINE WINDROW CONVERSION ADAPTER

- Increased Efficiency
- Cost Savings
- More Capacity
- Higher Yields
- Environmental
- Suitable for Harvesting Food Graded Seed
- Better Fiber Processability
- Multi Purpose Machine
- Capability of Flower Harvest



SUPERCROP® LP

- Proprietary Cutting and Feeding Mechanism to Reduce Wrapping
- Easy to Change Sickle-Section Design
- Backscreen to Reduce Loss
- Able to Harvest Narrow Drilled Rows as Well as Plants up to 40" Apart

Upgraded Features Include:

- Hydraulically-Controlled Row Unit Chains
- Fully Fingered Auger
- Low Profile Design
- Reinforced Row Divider Cover Frames



SUPERCROP LP HARVEST

Hemp

DECORTICATOR



Purpose-engineered for universities and R&D, the Bish Decorticator provides accurate, repeatable hemp fiber separation in a compact, 110/120V plug-and-play design.

Key Features

- Dual-motor system for smooth, consistent throughput
- Processes stalks up to 1.75" (green, retted, or unretted)
- Digital monitoring for RPM, torque, and load
- Anti-wrapping design for clean fiber output
- Safe, simple operation with dual emergency stops

A dependable, lab-ready machine built for education, testing, and small-batch innovation.

6031 HEMP HANDLER



The Hemp Handler is a 3-point mounted harvester designed to cut hemp cleanly at ground level and move plants smoothly into a wagon with its positive-grip chain system. It delivers up to 2 acres per hour, reducing crop loss and improving harvest flow.

- Clean, precise cutting for maximum recovery
- Smooth crop handling with minimal plugging
- Self-contained hydraulic system (PTO driven)
- Durable 20" carbide-tipped saw


Lankota

- Combine Accessories
- Drive Shafts & Accessories
- Electrical Adapters
- Header Components
- Single Point Hydraulics
- Tractor Accessories
- And More!

LANKOTA®
Ag Driven Innovations



Stalk Stomper Mounting Kit for Case® 4400 Series & like model New Holland® 30" corn heads



Feeder House Brush Kit for John Deere® 70 & S Series Combines



John Deere Combine Unloading Auger Flag Pole Mount



992-LAN10107
Heavy Duty Lift Cylinders for John Deere® 60 and 70 Series



992-LANBS6FD
Bean Saver for John Deere® Flex Draper Heads



Stalk Stomper Mounting Kit for John Deere 612FC/712FC Series



Stalk roller system for John Deere® 9RX Series 4WD tractors

Headsight

Horizon® Features:

- New Automatic Calibration with Feedback
- PinPoint® Diagnostics
- Foresight®
- Truesight®





HEADSIGHT™ HARVESTING SOLUTIONS

Benefits of Header Height Control

- Increased Yields
- Reduces Down Time
- Decreases Fatigue
- Maximized Efficiency
- 3-Year Parts Warranty
- Sensors Independently Control Height
- Easy Installation



Advanced Header & Steering Automation for More Accurate Harvesting

- Precision Height & Steering Control in Challenging Conditions - maintain cut quality and header control through uneven terrain, down crops, and low visibility.
- Automatically Stays Centered on the Row - reduces misalignment, improves feeding, and ensures cleaner operation.
- Dual-Row Sensing for Faster Response - advanced sensors improve accuracy compared to single-row systems.
- Proven Reduction in Header Loss - testing shows row guidance minimizes shelling and loss across field conditions.





Metra ADS Grain Cleaners



- Clean, sort, and grade any type of grains
- Increase Harvest up to 40%
- Uniform Seeds
- Low Price & Mobility
- Investment Return
- No Maintenance
- Consume Less Power
- Maintain Productivity



Why Metra Grain Cleaners are Better:

- Absence of Damaged Grain
- Mobility and Reliability
- Highly Economical
- Versatility and Multi-Functionality
- Highly Technological Opportunity

20 Models from 200-8,000 Bushels per Hour!

Metra 6AS Color Sorters Include:

- Super Separation
- Remote Control Capabilities
- Full Package Without the Additional Cost
- Up to 30 Programmed Setting for Any of your Tasks

MAY WES/POLYTIN



108-84539
GVL Poly Snout Kit for John Deere 90 Series



108-80837
Inside Snout Saver for Case IH

Polytin Advantages:

- Less Cost
- Needs No Paint
- Will Stand Abuse
- Replaces OEM Parts
- Less Crop Sticking
- Less Weight

- Augers
- Complete Row Units
- Cornhead Deck Plates
- Feederhouse Floors
- Grain Platform Poly Skid Plates
- Hydraulic Deck Plate Kits
- Row Unit Frames
- Stalk Rolls
- And More



108-82610
Corn Shields for JD 90 Series Poly



108-80652-1
Ear Saver (all)

Demco

Authorized Dealer for DEMCO Bin Extensions



Case IH



John Deere



New Holland





Combine Unloading Auger Extensions


Bushel Plus Mad Concaves

Improve Grain Quality & Reduce Loss with O-Grate Concaves

The Bushel Plus O-Grate MAD Concaves use an open design that enhances grain-on-grain threshing, delivering cleaner samples with fewer cracks and improved separation in soybeans, corn, and milo. The increased airflow and reduced restriction help your combine run cooler and more efficiently—especially in high-moisture or green crops where traditional concaves plug or slow down.

- Cleaner samples with fewer cracks
- Lower rotor loss across multiple crops
- Reduced plugging in tough, green conditions
- Better airflow and improved fuel efficiency





Serving The Agricultural Community Since 1976.

CONTACT US!

BISH ENTERPRISES

www.bishenterprise.com
email@bishcom.com
(402) 849-2674

1976
MADE IN THE USA

Contact Us